

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	0	726/2,27-29.ccls. and topology same packet same penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L8	5	topology same packet same penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L9	109	topology same network same penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L10	16	topology same network near2 penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L11	679911	predict\$4 network near2 penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L12	0	predict\$4 same network near2 penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L13	0	predict\$4 same penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L14	25	penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L15	13	predict\$4 with vulnerab\$5 same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L16	216	configur\$4 with ("access control list" acl) and topology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L17	10	configur\$4 with ("access control list" acl) and topology. ti,ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L18	77	configur\$4 with ("access control list" acl) and topology and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L19	21	configur\$4 with ("access control list" acl) and neighbor \$4 and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L20	31	configur\$5 with ("access control list" acl) and neighbor \$4 and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L21	10	configur\$5 with ("access control list" acl) and neighbor \$4 and (@ad<"20031119" @rlad<"20031119") not L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L22	118	configur\$5 with ("access control list" acl) and topology and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L23	41	configur\$5 with ("access control list" acl) and topology and (@ad<"20031119" @rlad<"20031119") not L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L24	307	("access control list" acl) and topology and (trace tracing) and (@ad<"20031119" @rlad<"20031119") not L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L25	5	("access control list" acl) and topology and (trace tracing).ti, ab. and (@ad<"20031119" @rlad<"20031119") not L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L26	1	packet and policy and (acl "access control list") and static near3 table and neighbor\$4 near3 (router switch device) and (@ad<"20031119" @rlad<"20031119") not L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L27	72	determin\$4 with network with penetration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L28	8	determin\$4 with network with penetration and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L29	3249	726/22,25.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L30	12	726/22,25.ccls. and penetrat \$4.ti,ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L31	182	726/22,25.ccls. and ("access control list" acl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L32	17	726/22,25.ccls. and ("access control list" acl) and travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L33	30	726/22,25.ccls. and ("access control list" acl) and traver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L34	106	726/22,25.ccls. and ("access control list" acl) and display\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L35	69	attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L36	98	attack adj tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L37	73	attack adj chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L38	55	"726"/\$.ccls. and (L35 L36 L37)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L39	69	attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L40	98	attack adj tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L41	73	attack adj chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L42	0	"726"/\$.ccls. and (L39 L40 L41) and static near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L43	0	(L39 L40 L41) and static near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L44	10	(L39 L40 L41) and (route routing) near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L45	7	709/224.ccls. and attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L46	69	attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L47	98	attack adj tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L48	73	attack adj chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L49	0	709/224.ccls. and (L46 L47 L48) and static near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L50	11	709/224.ccls. and (L46 L47 L48)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L51	20	("20030202531"   "20030233444"   "20050055573"   "20050138413"   "20050193430"   "5485409"   "7013395"   "7200105"   "7293287").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L52	0	726/2,27-29.ccls. and topology same packet same penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L53	5	topology same packet same penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L54	109	topology same network same penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L55	16	topology same network near2 penetrat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L56	679911	predict\$4 network near2 penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L57	0	predict\$4 same network near2 penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L58	0	predict\$4 same penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L59	25	penetrat\$4 same packet with travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L60	13	predict\$4 with vulnerab\$5 same packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L61	216	configur\$4 with ("access control list" acl) and topology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L62	10	configur\$4 with ("access control list" acl) and topology. ti,ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L63	77	configur\$4 with ("access control list" acl) and topology and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L64	21	configur\$4 with ("access control list" acl) and neighbor \$4 and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L65	31	configur\$5 with ("access control list" acl) and neighbor \$4 and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L66	10	configur\$5 with ("access control list" acl) and neighbor \$4 and (@ad<"20031119" @rlad<"20031119") not L64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L67	118	configur\$5 with ("access control list" acl) and topology and (@ad<"20031119" @rlad<"20031119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L68	41	configur\$5 with ("access control list" acl) and topology and (@ad<"20031119" @rlad<"20031119") not L63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L69	307	("access control list" acl) and topology and (trace tracing) and (@ad<"20031119" @rlad<"20031119") not L63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L70	5	("access control list" acl) and topology and (trace tracing).ti, ab. and (@ad<"20031119" @rlad<"20031119") not L63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L71	1	packet and policy and (acl "access control list") and static near3 table and neighbor\$4 near3 (router switch device) and (@ad<"20031119" @rlad<"20031119") not L63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L72	72	determin\$4 with network with penetration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L73	8	determin\$4 with network with penetration and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L74	3249	726/22,25.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L75	12	726/22,25.ccls. and penetrat \$4.ti,ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L76	182	726/22,25.ccls. and ("access control list" acl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52



L77	17	726/22,25.ccls. and ("access control list" acl) and travel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L78	30	726/22,25.ccls. and ("access control list" acl) and traver\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L79	106	726/22,25.ccls. and ("access control list" acl) and display\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L80	69	attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L81	98	attack adj tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L82	73	attack adj chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L83	55	"726"/\$.ccls. and (L80 L81 L82)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L84	69	attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L85	98	attack adj tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L86	73	attack adj chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L87	0	"726"/\$.ccls. and (L84 L85 L86) and static near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L88	0	(L84 L85 L86) and static near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L89	10	(L84 L85 L86) and (route routing) near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L90	7	709/224.ccls. and attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L91	69	attack adj graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L92	98	attack adj tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L93	73	attack adj chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L94	0	709/224.ccls. and (L91 L92 L93) and static near4 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

L95	11	709/224.ccls. and (L91 L92 L93)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L96	20	("20030202531"   "20030233444"   "20050055573"   "20050138413"   "20050193430"   "5485409"   "7013395"   "7200105"   "7293287").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L97	161	(ingress egress) with packet same (ACL access adj2 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L98	184	(ingress egress) same packet same (ACL access adj2 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L99	152	(inbound outbound) same packet same (ACL access adj2 list)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L100	74	(L98 L99) and topology and possib\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52
L101	1	(L98 L99) and topology and possib\$5.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/07 10:52

### EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18755	penetration.clm.	USPAT; UPAD	OR	ON	2011/02/07 10:51
L2	45558	packet.clm.	USPAT; UPAD	OR	ON	2011/02/07 10:51
L3	46097	list.clm.	USPAT; UPAD	OR	ON	2011/02/07 10:52
L4	201307	access.clm.	USPAT; UPAD	OR	ON	2011/02/07 10:52
L5	816477	control.clm.	USPAT; UPAD	OR	ON	2011/02/07 10:52

L6	1	L1 and L2 and L3 and L4 and L5	USPAT; UPAD	OR	ON	2011/02/07 10:52
----	---	-----------------------------------	-------------	----	----	------------------

**2/ 7/ 11 10:56:21 AM**

**H:\ EAST\ workspaces\ 10718175.wsp**